UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspio.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/647,239	08/26/2003	Tadao Takami	241972US8	1755
22850 7590 06/02/2008 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			PARK, JEONG S	
ALEXANDRIA	ALEXANDRIA, VA 22314		ART UNIT	PAPER NUMBER
		2154		
			NOTIFICATION DATE	DELIVERY MODE
			06/02/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

Office Action Summary		Application No.	Applicant(s)	
		10/647,239	TAKAMI ET AL.	
		Examiner	Art Unit	
		JEONG S. PARK	2154	
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address	
A SH WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	1. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status				
2a)□	Responsive to communication(s) filed on <u>2/19/1</u> This action is FINAL . 2b) This Since this application is in condition for alloward closed in accordance with the practice under Exercise 1.	action is non-final. nce except for formal matters, pro		
Disposit	ion of Claims			
5)□ 6)⊠ 7)□	Claim(s) 1-11 and 13-15 is/are pending in the a 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-11 and 13-15 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.		
Applicat	ion Papers			
10)🖾	The specification is objected to by the Examine The drawing(s) filed on 19 April 2007 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction to oath or declaration is objected to by the Examine.	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority (under 35 U.S.C. § 119			
12)□ a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage	
2) Notice 3) Infor	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) ter No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte	

Art Unit: 2146

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2/19/2008 has been entered.

Response to Arguments

2. Applicant's arguments filed 2/19/2008, with respect to claim 1-11 and 13-15 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-11, 13 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Paul et al. (hereinafter Paul)(U.S. Patent No. 6,052,709) in view of He (Pub. No. US 2003/0182383 A1), and further in view of Liu et al. (hereinafter Liu)(U.S. Pub. No. 2002/0147780 A1).

Regarding claim 1, Paul teaches as follows:

a mobile communication terminal, wherein a mobile communication terminal is interpreted as a user terminal (user terminal, see, e.g., col. 5, lines 46-48, reference character 130-132 in Figure 5) comprising;

a mail receiving means for receiving mail (an email storage database, reference character 206 in Figure 2, which receives and stores incoming email, see, e.g., col. 6, lines 26-29);

a detection conditions acquisition means for acquiring detection conditions data including a letter string (a spam probe, an email address which is a letter string, created by processor to identify sources of unsolicited email or spam, see, e.g., col. 4, lines 19-24) from a detection conditions distribution server (control center, see, e.g., reference character 101 in Figure 1, col. 5, lines 54-56) and storing the detection condition data in a detection conditions storage means (exclusion list manager, see, e.g., 202 in Figure 2, col. 5, lines 63-67)(alert signals received from the control center are automatically processed by the filtering application so that the source data extracted from the alert signals are automatically added to the stored exclusion list, see, e.g., col. 6, lines 17-25);

a detection means for performing detection processing for extracting the mail received by the mail receiving means (email storage, 206 in Figure 2) when a condition, in which the mail includes a letter string conforming to the letter string included in the detection condition data stored in the detection conditions storage means (exclusion list manager, 202 in Figure 2), is satisfied (filtering application, 200 in Figure 2, see, e.g., col. 5, lines 54-62); and

all detected mails are stored at a special folder in the user's in-box (see. e.g., col. 7, lines 1-8).

Paul teaches all the limitation of claim except for the detecting mail notification processing means for sending information that the mail has been extracted by the detection means to a detected mail notification receiving server.

He teaches as follows:

detected mail notification processing (a web-server based email message filter and notification system) means for sending information (message passes the criteria set by the user, see, e.g., page 3, paragraph [0031], lines 9-13) that the mail has been extracted by the detection means (email detection means, 6 in figure 1) to a detected mail notification receiving server (notification receiver, 11 in figure 1 and email server in figure 5, see, e.g., page 4, paragraph [0040], lines 1-6)(a web-server based email message filter and notification system sends a notification data signal to the email server, see, e.g., page 3, paragraph [0029], lines 1-6); and

email detection means (6 in figure 1, equivalent to applicant's detection means) and notification means (7 in figure 1, equivalent to applicant's detected mail notification receiving server)(see, e.g., page 3, paragraphs [0031] and [0032]). All of the component parts are known in He. The only difference between He's reference and the applicant's claim is the combination of the email detection means and the detected mail notification receiving server into a single device such as a mobile communication terminal applicant claimed.

Thus, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify Paul to include the detecting mail notification processing means as taught by He in order to save network cost to handle the email detections function and notification function together within one single device such as applicant's mobile terminal and to handle locally the detecting mail notification processing.

Paul in view of He do not teach that a mail storage unit configured to store information indicating whether the mail has been extracted by the detection means and detection result information indicating a category of the mail that has been extracted.

Liu teaches as follows:

a mail storage unit configured to store information indicating whether the mail has been extracted by the detection means (status code indicates that a virus was detected, see, e.g., page 3, paragraph [0036], lines 7-11) and detection result information (interpreted as the status code) indicating a category of the mail that has been extracted (the status code indicates whether the email has a virus or not, see, e.g., page 3, paragraph [0036]); and

a notification message is sent to the recipients (see, e.g., page 3, paragraph [0036], lines 14-20).

It would be obvious to combine Liu with Paul in view of He in order to send the notification message indicating the filtered category to the email recipients.

Regarding claim 2, Paul teaches the detection condition data includes a plurality of the letter strings (data categories, letter strings, are listed in the exclusion list, see, e.g., col. 6, lines 2-11, Figure 3).

Art Unit: 2146

Regarding claim 3, Paul teaches the list display means for displaying a list of information for identifying a plurality of mail received by the mail receiving means, respectively, in the list displaying, the list display means (user interface, 208 in Figure 2) displays information for identifying the mail extracted (first display code indicating the JUNK status of the message, see, e.g., col. 6, lines 46-49) by the detection means in a mode different that of mail not extracted (second display code indicating the OK status of the message, see, e.g., col. 6, lines 54-56) by the detection means (see, e.g., col. 6, lines 26-58, Figure 2).

Regarding claim 4, Paul teaches the category information inputted by a user to the detection conditions distribution server (exclusion list manager, 202 in Figure 2)(user exclusion list is created and modified manually by the user and exclusion list manager creates and stores a user exclusion list, see, e.g., col. 5 line 63 to col. 6 line16).

Regarding claim 5, Paul teaches the detection condition selection control means for storing selection information (exclusion list manager stores the user exclusion list, see, e.g., col. 5, lines 63-67).

Regarding claims 6-8, Paul teaches as follows:

detected mail (JUNK status of the message) deletion means for deleting the mail received by the mail receiving means (the JUNK status of the message are automatically discarded by the filter (email filter, 204 in Figure 2), see, e.g., col. 6, line 64 to col. 7, line 1);

detected mail selection deletion means for providing a display for prompting a user to select whether or not to delete the extracted (display the message filtered out in a distinctive color in the user's in-box in order to decide whether or not to delete the message, see, e.g., col. 7, lines 1-8); and

first and second detected mail processing control means for storing information regarding whether the extracted mail is deleted with a display for prompting or without it based on an input by an administrator to the mobile communication terminal (displays the alternatives in user's inbox, see, e.g., col. 6, line 64 to col. 7, line 8).

Regarding claim 9, Paul teaches all the limitations as presented above per claims 1-8.

Regarding claims 10 and 11, Paul teaches first detection conditions application control means for storing and acquiring detection condition application information, which regards whether is indispensable or being able to be selected by a user (email message marked with the first display code (JUNK mail) are further processed by the filter using user preference data entered by the user, see, e.g., col. 7, lines 16-36).

Regarding claim 13, Paul teaches as follows:

a detection conditions distribution server (control center, see, e.g., reference character 101 in Figure 1, col. 5, lines 54-56) for controlling detection condition data including a letter string for extracting specific mail received by a mobile communication terminal (a spam probe, an email address which is a letter string, created by processor to identify sources of unsolicited email or spam, see, e.g., col. 4, lines 19-24), comprising:

detected mail processing control unit configured to store information regarding distribution processing for specifying that each of a plurality of mobile communication terminals automatically deletes mail or that a user is allowed to select the deletion, when the mail received by each of the plurality of mobile communication terminals which acquires the detection condition data satisfy the condition in which the mail include letter strings conforming to the letter string included in the detection condition data (display the message filtered out in a distinctive color in the user's in-box in order to decide whether or not to delete the message, see, e.g., col. 7, lines 1-8), based on specification by an administrator of each of the plurality of mobile communication terminals such that each piece of the information is associated with the information for identifying each of the mobile communication terminals (displays the alternatives in user's inbox, see, e.g., col. 6, line 64 to col. 7, line 8).

Paul teaches the filtering process performed for each user terminal (equivalent to the applicant's mobile communication terminal)(see, e.g., col. 8, line 44 to col. 9, line 4), therefore storing the information for identifying each of the mobile communication terminal is inherent in Paul's system because Paul's system cannot process for each user terminal without the information associated with the each user terminal.

Paul does not teach for sending the detected mail information to the detected mail notification receiving server.

He teaches as follows:

detected mail notification processing (a web-server based email message filter and notification system) means for sending information (message passes the criteria set

by the user, see, e.g., page 3, paragraph [0031], lines 9-13) that the mail has been extracted by the detection means (email detection means, 6 in figure 1) to a detected mail notification receiving server (notification receiver, 11 in figure 1 and email server in figure 5, see, e.g., page 4, paragraph [0040], lines 1-6)(a web-server based email message filter and notification system sends a notification data signal to the email server, see, e.g., page 3, paragraph [0029], lines 1-6).

Thus, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify Paul to include the detecting mail notification processing means as taught by He in order to save network cost to handle the email detections function and notification function together within one single device such as applicant's mobile terminal and to handle locally the detecting mail notification processing.

Paul in view of He do not teach that an interface configured to receive information indicating whether a mail has been extracted by each of the plurality of mobile communication terminals and detection result information indicating a category of the mail that has been extracted and storing the information indicating whether a mail has been extracted and the detection result information at the detected mail processing control unit.

Liu teaches as follows:

an interface configured to receive information indicating whether a mail has been extracted by each of the plurality of mobile communication terminals (a group of email scanning servers 340 in figure 3)(status code indicates that a virus was detected, see, e.g., page 3, paragraph [0036], lines 7-11) and detection result information indicating a

Art Unit: 2146

category of the mail that has been extracted and storing the information indicating whether a mail has been extracted and the detection result information at the detected mail processing control unit (the status code indicates whether the email has a virus or not, see, e.g., page 3, paragraph [0036]).

It would be obvious to combine Liu with Paul in view of He in order to send the notification message indicating the filtered category to the email recipients.

Regarding claim 15, Paul teaches as follows:

a mobile communication terminal (interpreted as user terminals, see, e.g., col. 5, lines 46-48, reference character 130-132 in Figure 5), comprising:

an interface configured to receive mail from a mail server (an email storage database, reference character 206 in Figure 2, which receives and stores incoming email, see, e.g., col. 6, lines 26-29);

detection conditions acquisition unit configured to acquire detection conditions data including a letter string (a spam probe, an email address which is a letter string, created by processor to identify sources of unsolicited email or spam, see, e.g., col. 4, lines 19-24) from a detection conditions distribution server (control center, see, e.g., reference character 101 in Figure 1, col. 5, lines 54-56)(exclusion list manager, see, e.g., 202 in Figure 2, col. 5, lines 63-67)(alert signals received from the control center are automatically processed by the filtering application so that the source data extracted from the alert signals are automatically added to the stored exclusion list, see, e.g., col. 6, lines 17-25);

a memory (database 202 in figure 2) configured to store the detection condition (user exclusion list is stored in the database, see, e.g., col. 6, lines 26-32); and

a processor configured to extract the mail received by the interface when a condition, in which the mail includes a letter string conforming to the letter string included in the detection condition data, is satisfied (filtering application, 200 in Figure 2, see, e.g., col. 5, lines 54-62 and col. 6, lines 26-32).

Paul does not teach for sending the detected mail information to the detected mail notification receiving server.

He teaches as follows:

detected mail notification processing (a web-server based email message filter and notification system) means for sending information (message passes the criteria set by the user, see, e.g., page 3, paragraph [0031], lines 9-13) that the mail has been extracted by the detection means (email detection means, 6 in figure 1) to a detected mail notification receiving server (notification receiver, 11 in figure 1 and email server in figure 5, see, e.g., page 4, paragraph [0040], lines 1-6)(a web-server based email message filter and notification system sends a notification data signal to the email server, see, e.g., page 3, paragraph [0029], lines 1-6).

Thus, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify Paul to include the detecting mail notification processing means as taught by He in order to save network cost to handle the email detections function and notification function together within one single device such as applicant's mobile terminal and to handle locally the detecting mail notification processing.

Paul in view of He do not teach that a mail storage unit configured to store information indicating whether the mail has been extracted by the detection means and detection result information indicating a category of the mail that has been extracted.

Liu teaches as follows:

a mail storage unit configured to store information indicating whether the mail has been extracted by the detection means (status code indicates that a virus was detected, see, e.g., page 3, paragraph [0036], lines 7-11) and detection result information (interpreted as the status code) indicating a category of the mail that has been extracted (the status code indicates whether the email has a virus or not, see, e.g., page 3, paragraph [0036]); and

a notification message is sent to the recipients (see, e.g., page 3, paragraph [0036], lines 14-20).

It would be obvious to combine Liu with Paul in view of He in order to send the notification message indicating the filtered category to the email recipients.

5. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over He (Pub. No. US 2003/0182383 A1) in view of Kitaura et al. (hereinafter Kitaura)(Pub. No. US 2002/0091569 A1), and further in view of Liu et al. (hereinafter Liu)(U.S. Pub. No. 2002/0147780 A1).

Regarding claim 14, He teaches as follows:

a detected mail notification receiving server (notification receiver, 11 in figure 1 and email server in figure 5, see, e.g., page 4, paragraph [0040], lines 1-6), comprising:

Art Unit: 2146

detected mail receiving unit (notification receiver, 11 in figure 1, see, e.g., page 3, paragraph [0032], lines 11-16) configured to receive information regarding mail including a first letter string conforming to a second letter string for detecting specific mail (message passes the criteria set by the user, see, e.g., page 3, paragraph [0031], lines 9-13) which is sent by a mobile communication terminal (email enabled machine, 2 in figure 1, is interpreted as any email enabled mobile machines); and

it is inherent that notification receiving server (email server) is connected to networks.

He does not teach communication charge return instruction means.

Kitaura teaches as follows:

calculating means to determine amount of charge should be returned (the coupon service server calculates the amount to be rebated to the user based on the sales slip data stored in the usage information database, see, e.g., page 12, paragraph [0175], lines 1-3);

this rebate could be refunded as a reduction of the monthly cellular phone communication charges wherein the communication charges including all services provided such as emailing, texting, Internet browsing and calling (see, e.g., page 12, paragraph [0175], lines 4-5); and

the coupon service server generates discount statements (interpreted as the communication charge return instruction) and sends to the billing and payment processor (functioning as the billing control server 158 in figure 12) to generate bill statements (see, e.g., page 12, paragraph [0175], lines 7-12 and 17-18).

Also it would have been obvious for one of ordinary skill in the art at the time of the invention to include the communication charge returning means to return or give credit for the communication charge of the filtered out email if a mobile terminal charged per each email.

Further, it is inherent to include billing system associated with any communication system for handling all the billing information regarding charging or giving credit for communication service provided for each mobile terminal.

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify He to include communication charge return instruction as taught by Kitaura in order to improve customer's satisfaction by the refund of communication charges for the unwanted emails distribution, which is also inherently predictable results caused by the unwanted emails distribution.

He in view of Kitaura do not teach that an interface configured to receive information indicating whether a mail has been extracted by each of the plurality of mobile communication terminals and detection result information indicating a category of the mail that has been extracted and storing the information indicating whether a mail has been extracted and the detection result information at the detected mail processing control unit.

Liu teaches as follows:

an interface configured to receive information indicating whether a mail has been extracted by each of the plurality of mobile communication terminals (a group of email scanning servers 340 in figure 3)(status code indicates that a virus was detected, see,

Art Unit: 2146

e.g., page 3, paragraph [0036], lines 7-11) and detection result information indicating a category of the mail that has been extracted and storing the information indicating whether a mail has been extracted and the detection result information at the detected mail processing control unit (the status code indicates whether the email has a virus or not, see, e.g., page 3, paragraph [0036]).

It would be obvious to combine Liu with He in view of Kitaura in order to send the notification message indicating the filtered category to the email recipients.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JEONG S. PARK whose telephone number is (571)270-1597. The examiner can normally be reached on Monday through Friday 7:00 - 3:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on 571-272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2146

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. S. P./ Examiner, Art Unit 2154

May 22, 2008

/Joseph E. Avellino/ Primary Examiner, Art Unit 2146